

T2S-R3W.2ndMer.

391	391	391	391	390	390						
6	386	5	387	4	388	3	390	2	389	1	389
386		387		388		390		390		389	
7	386	8	385	9	388	10	388	11	389	12	369
384		385		385		383-384		383-384		383	
18	384	17	184	16	383	15	382	14	382	13	369
379		380		380		382		382		381	
19	379	20	380	21	380	22	381	23	381	24	369
379		379		378		378		378		378	
30	376	29	376	28	377	27	377	26	377	25	369
375		375		375		375		374		374	
31	372	32	373	33	373	34	373	35	374	36	370
371		371		371-372		370-372		370-372		370-372	

T3S-R3W.2ndMer.

414	414	414	415	415							
6	414	5	413	4	412	3	415	2	412	1	393
413	413-415	413-414	414	412	411						
7	408	8	409	9	412	10	410	11	411	12	393
408	408-409	409	409-411	410-411	410						
18	408	17	407	16	406	15	409	14	405	13	393
403	407	407	406- 407	410-411 ⁴⁰⁵	405						
19	403	20	402	21	406	22	404	23	405	24	393
397	403	403-404	404	404	404	400					
30	397	29	403	28	401	27	400	26	400	25	394
397	398-402	401-403	398-401	399-400	397						
31	396	32	401	33	398	34	398	35	399	36	394
396	395	395	395	395	394	394					

Township N° 3 South of Range N° 3. West of the 2nd Mer.

November 4th 18.04. Commenced at N.E. corner of Town
N° 3. Range N° 3. South & run:

South on Meridian line East Boundary of Sec: 11. T. 3. S. R. 3. W.
R. & 3. W.

40. 01 Put Quarter Sec. post where a Birch 18 in? diam? bears S.
36. E. 31. links. S. 9 in? diam? bears S. 36. W. 7. link.

41. 00 A Small Train, Curve, W

51. 01 Shed hill land - Timber - Birch. Sugar tree, &c.

51. 01 Corner to Sec: 12. T. 3. S. R. 3. W. where a Poplar
17 in? diam? bears S. 28. W. 13. links. A B. Oak 24 in? diam?
bears S. 1. 32. West 27. links. - poor hill land, much brush.

South Range line E. Boundary of Sec: 12. T. 3. S. R. 3. W.

40. 01 Put Quarter Sec. post where a W. Oak 14 in? diam? bears S.
71. E. 21. links. A B. Oak 14 in? diam? bears S. 69. W. 15. links

50. 50 A Birch 16 links wide, bears N. - steep hill on each side

50. 00 Put Post corner to Sec: 12 & 13. T. 3. S. R. & 3. W.
where a Birch 16 in? diam? bears S. 24 W. 5. links. A W.
Oak 22 in? diam? bears S. 24. W. 22. links. This mile
through steep brushy hills. poor soil - Timber Oak, Sugar tree.

South Range line E. Boundary of Sec: 13. T. 3. S. R. 3. W.

40. 01 Put Quarter Sec. post where a W. Oak 13 in? diam? bears
S. 54. E. 10. links S. 16 in? diam? bears S. 70. W. 17. links

50. 00 Put Post corner to Sec: 13 & 24. T. 3. S. R. 3. W.
where a W. Oak 11 in? diam? bears S. 34. E. 17. links A
Sugar tree 10 in? diam? bears S. 20. W. 31. links.

Land hilly. middling soil - Timber - Oak. Poplar & Birch

South Range line E. Boundary of Sec: 24. T. 3. S. R. 3. W.

30. 00 Soil & Timber as before.

40. 00 Put Quarter Sec. post where a Maple 10 in? diam? bears
S. 27. links. A Sugar tree 10 in? diam? bears S. 29. E. 32. links.

57. 00 A Birch 66 links wide, bears S. 68. W. fallen timber much brush & briars

50. 00 Put Post corner to Sec: 24 & 25. T. 3. S. R. 3. W. where a
Birch 20 in? diam? bears S. 61. E. 9. links. S. 16 in?

T. 1st 3. S. R. 1st 3. W. 2nd Mer.

diam^t. bears N 12. W. 40. links. Good soil of hill land.
- Timber - Oak, Beech &c

South East Boundary of Sec. 25. T. 3. S. R. 1st 3. W.
8. 00 A brook 10 links wide, Course W.
40. 00 Put Quarter Sec. post where a Gum 16 in^d diam^t. bears S.
46. W. 34. links. A M. Oak 14 in^d diam^t. bears S. 85. W. 25
links. Soil. & Timber, as before.
69. 00 A Run 6 links wide, Course S. 76. W.
80. 00 Put Post Corner to Sec. 25. & 36. T. 3. S. R. 1st 3. W.
where a M. Oak 14 in^d diam^t. bears S. 15. E. 31. links.
S. 12. in^d diam^t. bears S. 87. W. 25. links.
Over M. Oak hills. Land, Brers &c.

South Range line E. Boundary of Sec. 36. T. 3. S. R. 3. W.
2. 50 A Drain 7. links wide, Course W.
40. 00 Put Quarter Sec. post where a B. Oak 26. in^d diam^t.
bears S. 72. E. 30. links A M. Oak 12 in^d bears S. 14. W. 12 links
80. 00 Put Post Corner of Sec. 36. T. 3. S. R. 1st 3. W. &
Corner of Sec. 1. T. 4. S. R. 1st 3. W. where a Gum 10 in^d
diam^t. bears S. 30. W. 4. links. A M. Oak 16 in^d diam^t.
bears S. 25. links. Soil & Timber, as above.

West Between Towns. 1st 3. & 4. T. 3. S. W.
40. 00 Put Quarter Sec. post where a M. Oak 10 in^d diam^t. bears
N. 52. E. 12. links S. 16 in^d diam^t. bears S. 85. W. 17. links
52. 50 A brook 20 links wide, Course S. W. Over Honey Oak Land.
80. 00 Put Post Corner of Sec. 35. & 36. T. 3. S. R. 3. W.
& Corner of Sec. 1 & 2. T. 4. S. R. 3. W. where a B. Oak
36 in^d diam^t. bears S. 82. E. 39. links S. 30 in^d diam^t.
bears S. 12. W. 28. links. Middle soil of hill land very steep
Timber, Oak, &c &c.

West Township line between Sec. 35. T. 3. S. R. 1st 3. W. &
Town 4. T. 4. S. R. 1st 3. W.
40. 00 Put Quarter Sec. post where a M. Oak 11 in^d diam^t.

T^h 3rd S. R. N^o 3. W 2nd Mer.

395

16. 10 bears c 1. 77. N. 28. links. D^o 20 in? diam? bears S. 61. E 37. links.
 50. 10 Put Post Corner of Sec^s 34. & 35. T. 3. S. R. N^o 3. W. 4
 Corner of Sec^s 2 & 3. T. 4. S. R. 3. W. where a Birch 16 in?
 diam? bears c 1. 88. E. 19. links. D^o 17 in? diam? bears S. 68. N. 34. links.
 Good soil. Up descent to the north. - Timber - Birch, Oak &c.

West Town line 3rd mile.
 40. 60 Put Quarter Sec. post where a Mc Oak 36 in? diam? bears c 1. 73.
 N. 43. links. D^o 34 in? diam? bears T. 48. E. 16. links.
 56. 10 Hill land - Thin Soil.
 74. 50 A brook 150 links wide, course S. - Good Birch bottom.
 80. 10 Put Post Corner of Sec^s 33. & 34. T. 3. S. R. 3. W. 4. Town
 3. & 4. T. 4. S. R. 3. W. where a Birch 12 in? diam? bears
 T. 48. N. 43 links. D^o 12 in? diam? bears c 1. 2. E. 8. links.
 Good soil of Birch hill land. Apr: 4th - frost for the day

West Township line S. Boundary of Sec^s 33. & 34. & c 1 Boundary
 of Sec^s 4. T. 4. S. R. c 1. 3. W.
 40. 60 Put Quarter Sec. post where a Mc Oak 14 in? diam? bears.
 T. 25. E. 16. links D^o 10 in? diam? bears S. 87. N. 13. links.
 Birch land. good quality.
 65. 80 Honey Soil. Poor Oak prints.
 80. 60 Put Post Corner Sec^s 32 & 33. T. 3. S. R. 3. W. 4. Town
 4 & 5. T. 4. S. R. 3. W. where a Sugar 10 in? diam? bears.
 T. 44. E. 35. links. A Birch 14 in? diam? bears c 1. 50. E. 9. links
 Good soil of Birch & Sugar tree land ascending South.

West Town line 5th mile.
 6. 50 A brook 30 links wide, course S.
 40. 60 Put half Sec. post where a Birch 16 in? diam? bears c 1.
 62. N. 29. links. D^o 14 in? diam? bears S. 60. E. 44. links.
 48. 60 A brook 16 links wide, course S.
 74. 60 Good Bottom land. Timber, Birch, Sugar. Maple &c.
 80. 60 Put Post Corner to Sec^s 31. & 32. T. 3. & 3 & 6. T. 4
 S. R. c 1. 3. W. Good soil of hill land, Birch timber.

N^o 13

T. A. 3. S. E. A. 3. W. 2nd Mer.

West Township line 6th mile
 45. 75 A creek 70 links wide, course S.
 58. 00 A Drain 6 links wide, course S. Birch bottom
 86. 61 Intersecting Range line 5 chains S. of Post. Corner of
 Towns A. 3. & 4. R. 4. W. Good hill land. Timber
 Oak, Birch &c.

Inspecting Mr. Dutton my chainman had misread an
 out. I chained A. on Mr. Dutton line, found his half mile
 post at 39. 24 links.

Corrected Town line East. by running it again with
 my compass. Put half Sec. post in S. Boundary of
 Sec. 31. T. 3. S. E. & 3. W. & c. 1. of Sec. 6. T. 4. R.
 3. W. where a Birch 18 in. diam. bears S. 20. W. 20. links.
 S. 20 in. diam. bears S. 22. E. 36 links. Put post
 Corner of Sec. 31. & 32. T. 3. S. E. & 3. W. & Corner of
 Sec. 5 & 6. T. 4. S. E. 3. W. where a Hickory 16 in.
 diam. bears S. 87. E. 37 links & Dogwood 7 in. diam.
 bears S. 83. W. 12 links.

Nov. 11th 18. 64.

Began to survey in T. 3. R. 3. at post Corner of Sec.
 31. & 32. & 33.

North Between Sec. 31. & 32. T. 3. S. E. 3. W.
 4. 32 A Poplar 20 in. diam.
 37. 67 A W. Oak 22 in. diam.
 40. 04 Put Quarter Sec. post. where a W. Oak 16 in. diam.
 bears S. 59. W. 7 links. Birch 17 in. diam. bears S. 83. E.
 34 links. Good hill land.
 41. 42 A Hickory 16 in. diam.
 53. 23 A B. Oak 40 in. diam.
 65 00 A creek 50 links wide, course S. W. Steep hills.
 68 00 A creek 50 links wide, course S. E.
 72 00 A creek 50 links wide, course West.
 80 00 Put post Corner of Sec. 29. 30. 31. 32. T. 3. S. E. 3.

T. 3. S. R. N^o 3. W. 2nd Mer.

W. where a Gycamore 16 in^d. diam^r. bears G. 31. W. 49. links.
 A Sugar tree 15 in^d. diam^r. bears G. 76. E. 25. links.
 First rate Bottom - Timber - Birch. Sugar tree, Oak, &c.

- West Between Sec^s 30. & 31. T. 3. S. R. N^o 3. W.
 17. 11 Bottom as above.
 36. 11 Over steep points of hills to Bottom.
 40. 11 Put half Sec. post where a Hickory 17 in^d. diam^r. bears
 G. 49. W. 15 links. A Birch 10 in^d. diam^r. bears A. 49. E. 51. links.
 42. 11 A Creek 30. links wide, bears G. E.
 56. 11 Bottom of middling quality.
 57. 96 Intersecting Range line 83 links N. of Post Corner of Sec^s
 25 & 36. T. 3. S. R. 4. W. here Set Post Corner of Sec^s
 30. & 31. T. 3. S. R. 3. W. where a Jack Oak 12 in^d. diam^r.
 bears A. 14. W. 29. links. An^d Oak 20 in^d. diam^r. bears G.
 37. W. 31. links. Poor hill land, Oak timber.

- North Between Sec^s 29. & 30. T. 3. S. R. 3. W.
 14. 11 Bottom land.
 24. 11 A W. Oak 16 in^d. diam^r.
 28. 38 A Jack Oak 14 in^d. diam^r.
 40. 60 Put Quarter Sec. post where a Sugar tree 8 in^d. diam^r.
 bears A. 25. E. 16. links. Log in^d. diam^r. bears G. 17. W. 6. links
 Over moderate ridges - good Soil.
 51. 95 A Gum 30 in^d. diam^r.
 50. 60 Set Post Corner of Sec^s 19. 20. 29. 30. T. 3. S. R. 3. W.
 Where a W. Oak 24 in^d. diam^r. bears G. 54. E. 19. links. A
 Sugar 15 in^d. diam^r. bears A. 26. W. 35. links. Good soil of
 hill land lies well for farming. Timber, Walnut, Sugar, Birch, &c.

- West Between Sec^s 19. & 30. T. 3. S. R. N^o 3. W.
 40. 11 Put Quarter Sec. post where a Birch 11 in^d. diam^r. bears
 G. 56. W. 22. links. A Gum 16 in^d. diam^r. bears A. 33. E. 24. links
 66. 11 A Brook 20 links wide, bears G.
 88 76 Intersecting Range line 1. 74. links. A Post in 4th.
 Range. Set Post corner of Sec^s 19 & 30 T. 3. S. R. 3. W.

T. N. 3. S. R. N. 3. W. 2nd Mer.

where a Hickory 16 in^d diam^r bears G. 63. N. 15 links.
 A Birch 10 in^d diam^r bears N. 30. E. 3 links. This mile
 through steep hills. Soil of middling quality. Timber Oak
 Hickory. Birch. &c.

East A Random line between Sec^s 29. & 32. T. 3. S. R. 3. W.
 5. 50 A Brook 30 links wide; Course G.
 16. 00 A Drain 26 links wide; Course G. Much Bottom Birch timber.
 75. 50 A Small Drain; Course South.
 80. 00 Put temporary post. Steep point. Oak timber - open woods.
 Nov Mth. 18 04.

North Between Sec^s 33. & 34. T. 3. S. R. 3. G.
 13. 50 A Brook 25 links wide; Course S. E.
 21. 10 From said Brook coming from N. 10. E.
 21. 50 A Birch 14 in^d diam^r.
 40. 00 Put Quarter Sec. post where a Birch 10 in^d diam^r bears
 N. 46. E. 3 links. S^d 16 in^d diam^r bears G. 33. W. 13 links.
 44. 55 A Birch 12 in^d diam^r.
 50. 00 A Brook 18 links wide; Course G. E.
 62. 00 Birch Bottom good soil.
 80. 00 Put Post Corner of Sec^s 27. 28. & 33. 34. T. 3. S. R. 3. W.
 where a Poplar 40 in^d diam^r bears N. 2. W. 40 links.
 A Gum 16 in^d diam^r bears G. 12. W. 12 links. One point of hills

East A Random line between Sec^s 27. & 34. T. 3. S. R. 3. W.
 57. 00 First route hill land. Timber, Birch, Oak &c. A Drain
 36 links wide; Course S. E.
 80. 00 Put Temporary post. Good Birch bottom some Sugar tree &c.

North Between Sec^s 34. & 35. T. 3. S. R. N. 3. W.
 12. 29 A W. Oak 20 in^d diam^r.
 23. 89 A Birch 12 in^d diam^r.
 34. 00 Good hill land Timber. Birch. Oak &c.
 40. 00 Put Quarter Sec. post where a Birch 10 in^d diam^r bears
 N. 43. W. 10 links. S^d 9 in^d diam^r bears G. 23. E. 17 links.

44. 50 A Brook 20 links wide; Course W.
 47. 00 East Bank of Large Creek
 53. 43 A Hickory 14 in? diam?
 60. 54 A Beech 20 in? diam? in a same-trake
 64 00 A Brook 120 links wide; Course S. W.
 80. 00 Fell 12 links N. of Temporary post. here set post where
 a Beech 10 in? diam? bears S. 27. E. 20 links. Do 16 in? diam?
 bears N. 14. E. 15 links First water land. Timber, Beech, Oak, Oak &c

- East A Random line between Sec. 26. & 35. T. 3. S. R. 3. W.
 31. 00 A Creek 150 links wide; Course S. 45. W. Soil Sugar &
 Timber as before.
 80. 00 Set Temporary post midling hill land. Timber. Oak, Beech &c.

- North Between Sec. 35. & 36. T. 3. S. R. No. 3. W.
 19. 29 A W Oak 12 in? diam?
 30. 00 A Brook 40 links wide; Course N. W.
 34. 68 A Beech 16 in? diam?
 40. 00 Put Quarter Sec. post where a Beech 14 in? diam? bears
 N. 69. W. 13 links. Do 12 in? diam? bears N. 4. E. 28. links.
 58. 84 A W Oak 17. in? diam?
 64. 47 A W Oak 24 in? diam?
 67. 00 A Small Drain Course W.
 80. 00 Fell 10 links N. & 12 west of Temporary post. Set
 post corner of Sec. 25. 26. 35. & 36. T. 3. S. R. 3. W.
 where a Sugar tree 08 in? diam? bears S. 59. W. 9. links.
 Do 10 in? diam? bears S. 61. E. 12 links. Good M. plon?g.
 Timber, Oak, Beech, Sugar tree &c.

- East A Random line between Sec. 25. & 36. T. 3. S. R. 3. W.
 55. 75 A Brook 10 links wide; Course N. 20. W.
 78. 00 A Brook 14. links wide; Course N. W.
 79. 90 Intersecting Range 14 links S. of Post. Corner of Sec. 25.
 & 36. T. 3. S. R. 3. W. midling soil of hill land, Timber, Oak,
 Beech &c.

T. No 3. S. R. No 3. W. 2nd. Mer.

Correcting the line between Sec^s 25. & 26. T. 3. S. R. 3. W.
 Put half Sec. post where a Sugar tree 16 in^d diam^r bears N. 53
 E. 15 links A M. Oak 12 in^d diam^r bears S. 44. W. 41. links.

North Between Sec^s 25. & 26. T. 3. S. R. 3. W.
 5. 60 A M. Oak 17 in^d diam^r
 17. 00 A Brook 10 links wide; course W.
 24. 00 A Creek 100 links wide course S. W.
 38. 72 A M. Oak 18 in^d diam^r
 40. 00 Put Quarter Sec. post where a Hickory 6 in^d diam^r bears
 S. 27. W. 13. links. A Birch 18 in^d diam^r bears S. 85. W. 33. links.
 Stands on West side of Creek.
 45. 00 Good Brook Bottom.
 60. 00 Put Post Corner of Sec^s 23. 24. 25. & 26. T. 3. S. R. 3. W.
 where a Hickory 17 in^d diam^r bears N. 34. W. 23. links.
 A M. Oak 17 in^d diam^r bears S. 44. E. 34. links.
 Strip Stony hill land. Poor Soil Oak Hickory & Birch

East A Random line between Sec^s 24 & 25. T. 3. S. R. 3. W.
 17. 00 Tail of Timber as before to Bottom.
 28. 00 A Creek 120. links wide; course S.
 32. 50 Bottom. Good soil. fallen timber
 50. 06 Intersecting Range line 6. links N. of Post Corner of Sec^s 24.
 25. T. 3. S. R. 3. W. ——— Midling soil of hill.
 land Timber, Oak, Birch, & Dogwood.

Corrected the line between Sec^s 24 & 25. T. 3. S. R. 3. W.
 Put half Sec. post where a Birch 16 in^d diam^r bears S.
 25. N. 62. links. D^r 18 in^d diam^r bears N. 30. E. M. links.

Correcting the line between Sec^s 26. & 25. T. 3. S. R. 3. W.
 Put half Sec. post where a Birch 10 in^d diam^r bears N.
 22. E. 7. links. D^r 12 in^d diam^r bears S. 29. W. 29. links.

North Between Sec^s 26. & 27. T. 3. S. R. 3. W.
 13. 28 A Birch 16 in^d diam^r

14. 50 Birch Bottom.
 34. 18 A Gum 12 in^d diam^r
 40. 00 Put Quarter Sec. post where a Birch 10 in^d diam^r bears
 N. 63. W. 10. links. Sec 16 in^d diam^r bears S. 24. E. 42. links.
 53. 06 A Birch 16 in^d diam^r
 55. 00 A Small Larch, Course S. E.
 75. 83 A Poplar 24 in^d diam^r
 80. 00 Put Post Corner of Sec. 22. 23. 26. & 27. T. 3. S. R. 3. W.
 where a Gum 14 in^d diam^r bears N. 6. E. 20. links. Sec 16 in^d
 diam^r bears N. 78. W. 24. links. Good hill land Timber,
 Oak, Birch, & Sugar tree.

Corrected the line between Sec. 27. & 34. T. 3. S. R. 3. W.
 Put half Sec. post where a Birch 16 in^d diam^r bears N. 5.
 E. 11. links. A W. Oak 18 in^d diam^r bears South 5. links
 November 12.th 1804.

- North Between Sec. 27. & 28. T. 3. S. R. 3. W.
 31. 28 A W. Oak 16 in^d diam^r
 40. 00 Set Quarter Sec. post where a W. Oak 10 in^d diam^r bears N.
 41. W. 8. links Sec 16 in^d diam^r bears S. 3. E. 27. links
 80. 00 Put Post Corner of Sec. 21. 22. 27. & 28. T. 3. S. R. 3. W.
 where a W. Oak 16 in^d diam^r bears S. 59. W. 20. links. Sec 16 in^d
 diam^r bears N. 31. W. 41. links. This mile over points
 of hills. W. Oak timber, then Soil. &c.

- West Between Sec. 28. & 33. T. 3. S. R. N^o 3. W.
 14. 50 A Brook 20 links wide; course S.
 79. 50 Tell 6 links N. of Temporary post. W. Oak hill land midling Soil.

- North Between Sec. 32. & 33. T. 3. S. R. N^o 3. W.
 10. 10 A W. Oak 17 in^d diam^r
 20 00 A Brook 12 links wide; course S. W.
 27. 75 A W. Oak 18 in^d diam^r
 40. 00 Put Quarter Sec post where a W. Oak 12 in^d diam^r bears
 N. 44. E. 24. links. Sec 9. in^d diam^r bears S. 21. E. 42. links.

T. N° 3. G. R. N° 3. W. 2nd. Mer.

66 13 A W. Oak 16 in? diam?
 68. 50 A Drain 6 links wide; course G. W.
 51. 11 Was 24 links W of Temporary post 1st post Corner
 of Sec. 28 29. 32. & 33. T. 3. G. R. 3. W. where a W. Oak
 14 in? diam? bears N. 81. W. 27. links. A W. 12.
 in? diam? bears N. 88. E. 22. links Land hilly midling
 Soil. Timber Oak, Hickory, & Dogwood.

Correcting the line between Sec. 29. & 32. T. 3. G. R. 3. W.
 Put half Sec. post where a W. Oak 16 in? diam? bears G. 80
 W. 17. links D. 10 in? diam? bears G. 78. E. 42. links.

Corrected the line between Sec. 28. & 33. T. 3. G. R. 3. W.
 Put half Sec. post where a W. Oak 16 in? diam? bears
 G. 32. W. 28. links. D. 17 in? diam? bears N. 44. E. 19th

North Between Sec. 28. & 29. T. 3. G. R. 3. W.
 12. 36 A Gum 13. in? diam?
 40. 10 Put Quarter Sec. post where a W. Oak 16 in? diam?
 bears E. 63. W. 42. links. D. 12 in? bears G. 35. E. 15. links
 70. 26 A W. Oak 20 in? diam?
 80. 01 1st Post Corner of Sec. 20. 21. 28. 29. T. 3. G. R. 3. W.
 where a W. Oak 16 in? diam? bears N. 44. W. 51. links.
 A Sugar tree 18 in? diam? bears G. 58. E. 37. links. Steep
 hills midling Soil. Oak Sugar. Beech & Dogwood, timber

North Between Sec. 20. & 21. T. 3. G. R. 3. W.
 4. 27 A W. Oak 14 in? diam?
 19 51 A W. Oak 16 in? diam? Good soil of hill land timber as before
 40. 01 Put Quarter Sec. post where a W. Oak 16 in? diam?
 bears N. 13. E. 4. links. D. 11 in? diam? G. 19. E. 13. links
 66. 39 A Hickory 13. in? diam?
 68. 00 A Brook 6 links wide, Course W.
 80. 01 Put Post Corner of Sec. 16. 17. 20. & 21. T. 3. G. R. 3. W.
 where a Gum 12 in? diam? bears G. 61. E. 33. links. A
 Dogwood 7 in? diam? bears N. 30. W. 17. links.

T. N. 3. S. R. N. 3. W. 2nd Mer

Steep Points of hills poor soil - On S. side, Oak timber.

North	Between Sec ^s 19. & 20. T. 3. S. R. 3. W.
11. 39	A Hickory 12 in? diam?
27. 50	A Brook 10 links wide; Course S. E.
40. 00	Put Quarter Sec. post where a W. Oak 26 in? diam? bears N. 70. W. 21. links. A Hickory 22 in? diam? bears S. 57. E. 35. lbs.
43. 20	A Hickory 22 in? diam?
56. 01	A Run 6 links wide, Course E.
60. 27.	A W. Oak 10 in? diam?
80. 00	Put Post corner of Sec ^s 17. 18. 19. 20. T. 3. S. R. 3. W. where a W. Oak 15 in? diam? bears N. 31. W. 14 links S. 12 in? diam? bears S. 23. W. 26. links. This mile good soil lies well for cultivation - Timber Oak, Poplar, Dogwood.

West	Between Sec ^s 18. & 19. T. 3. S. R. 3. W.
40. 00	Put post Quarter Sec. where a Poplar 9 in? diam? bears N. 65 E. 27. links A Dogwood 8 in? diam? bears S. 30. W. 39. links
88. 44.	Intersected Range line 2.59 links N. of Post in the 4 th Range. here Put Post corner of Sec ^s 18. 19. T. 3. S. R. 3. W. where a W. Oak 12 in? diam? bears S. 83. E. 8. links a Jack Oak 4 in? diam? bears S. 81. W. 25 links. Very rough poor hill land; Small Oak & Hickory, Timber.

East	A Random line between Sec ^s 20. & 29. T. 3. S. R. 3. W.
23. 06	A Creek 60 links wide; Course S. Rich Bottom, Timber, Sugar tree &c.
79. 78	Put post corner of Sec ^s 21. & 22. 28 & 29 T. 3. S. R. 3. W. rich hill land. Timber, Sugar tree, Beech, Oak &c.

East	Between Sec ^s 21. & 28. T. 3. S. R. 3. W.
79. 88	Intersected N. & S. line 4. links N. of Post corner of Sec ^s 21 & 22. & 27. 28. T. 3. S. R. 3. W. W. Oak land. midling Soil.

Corrected line between Sec^s 20. & 29. T. 3. S. R. 3. W.
Put half Sec. post where a — 16 in? diam? bears N. 67. E. 22 links. S. 14 in? diam? bears S. 82. W. 26. links.

T. 1. 3. S. R. No. 3. W. 2nd Mer.

	Connected Between Sec. 21 & 28. T. 3. S. R. 3. W. where a W. Oak 16 in? diam? bears N. 21. E. 3. links. D ^o 16 in? diam? bears S. 36. E. 6. links. Mer. 13. 18 64.
East 14. 44	Between Sec. 22 & 27. T. 3. S. R. 3. W. Intersected N. & S. line 4 links N. of Corner of Sec. 22. 23. 26. 27. T. 3. S. R. 3. W. Good soil of W. Oak land.
North 10. 24 15. 77 40. 00 43. 64 50. 66 57. 68 72. 61 80. 66	Between Sec. 22 & 23. T. 3. S. R. 3. W. A Gum 9 in? diam? A Birch 14 in? diam? Put Quarter Sec. post where a Poplar 14 in? diam? bears N. 15. E. 24. links. D ^o 15 in? diam? bears S. 18. W. 19. A W. Oak 24 in? diam? Good hill land? Timber Oak. Logwood &c. A Birch 50 links wide, Course S. 76. E. First rate Bottom Timber Oak Sugar &c. much cane under Hit post Corner of Sec. 14. 15. 22. 23. T. 3. S. R. 3. W. where a W. Oak 12 in? diam? bears N. 71. W. 28. links. D ^o 14 in? diam? bears S. 83. W. 31. links — Good Oak hill land. —
East 30. 60 37. 60 74. 36	Between Sec. 23 & 26. T. 3. S. R. 3. W. Good hill land? land. Birch & Oak. Timber. A Birch 120. links wide, Course S. Good bottom Cane under. Intersected N. & S. line 4 links N. of Post. — Good hill land Timber, Birch, Oak, &c
	Connected Between Sec. 23 & 26 T. 3. S. R. 3. W. Put Quarter Sec. post a Birch 16 in? diam? bears S. 97. E. 8. links & D ^o 16 in? diam? bears N. 29. E. 21. links.
	Correcting the line between Sec. 22 & 27. T. 3. S. R. 3. W. Put half Sec. post where a W. Oak 18 in? diam? bears S. 68. West 35. links A W. Oak 14 in? diam? bears N. 85. E. 34. links.

T. N. 3. S. R. N. 3. W. 2nd Mer.

- North
 8. 27 Between Secs 23. & 24. T. 3. S. R. 3. W.
 A W. Oak 14 in. diam.
 28. 60 A Hickory 16 in. diam.
 40. 11 Put Quarter Sec. Post where a Hickory 8 in. diam. bears
 N. 16. E. 8. links. S. 10 in. diam. bears T. 16. E. 16. links.
 67. 40 A Sugar tree 14 in. diam.
 80. 00 Put Post Corner of Secs 13. 14. 23. 24. T. 3. S. R. 3. W.
 where a Beech 7 in. diam. bears N. 26. E. 9. links & Beech 24
 in. diam. bears S. 89. W. 43. links. Good soil of Hill land
 Timber - Oak Sugar tree. Poplar. Beech &c.

- East
 80. 43 Between Secs 13. & 24. T. 3. S. R. 3. W.
 Intersected Range line 12 links N. of Post. This mile
 steep hills. Soil not very good. Timber, Oak, Hickory &c.

Connected the line between 13. & 24. - Put half Sec.
 Post where a Hickory 17. in. diam. bears S. 15. W. 7. links
 A Hickory 4 in. diam. bears N. 49. E. 11. links.

- North
 18. 94 Between Secs 13. & 14. T. 3. S. R. 3. W.
 A W. Oak 17 in. diam.
 38. 98 A W. Oak 24 in. diam.
 40. 00 Put Quarter Sec. Post where a Hickory 17. in. diam. bears
 N. 20. W. 14. links. & A B. Oak 30. in. diam. bears S. 40. E. 20.
 62. 93 A W. Oak 24. in. diam.
 74. 00 Good hill land Timber, Oak, Hickory &c.
 80. 00 Put Post Corner of Secs 11. 12. 13. & 14. T. 3. S. R. 3. W.
 where a Sugar tree 8 in. diam. bears S. 5. W. 10. links. & A
 Sugar tree 10 in. diam. bears N. 16. E. 23. links.
 Good Bottom. Timber, Oak, Sugar tree &c.

- West
 55. 00 A Random line between Secs 14. & 23. T. 3. S. R. 3. W.
 Good hill land to Creek No. 6, Course S.
 66. 00 Bottom good soil. Timber. Sugar tree &c.
 79. 00 Put Post Corner of Secs 14. 15. 22. & 23. T. 3. S. R. 3. W.
 Good hill land Timber. Oak, Sugar tree, Beech &c.

T. No 3. T. No. No 3. W. 2nd Mer.

West	Between Sec. 15. & 22. T. 3. S. R. 3. W.
15. 11	Timbered land
27. 00	Timber all killed. by fire.
50. 00	Set Temporary post. Land hilly. Thin Soil. Timber, Oak, Hickory. &c.
	Corrected the line between Sec. 14. & 23. T. 3. S. R. 3. W. Put half Sec. post where a Birch 16 in. diam. bears S. 91. E. 13. links. & a Sugar tree 12 in. diam. bears N. 12. W. 25 links Nov. 14 th . 1804.
North	Between Sec. 21. & 22. T. 3. S. R. 3. W.
35. 64	A W. Oak 18 in. diam.
41. 00	Put Quarter Sec. Post where a W. Oak 12 in. diam. bears N. 33. E. 20. links. A Hickory 12 in. diam. bears S. 31. E. 27. links
44. 60	A B. Oak 12 in. diam.
49. 00	A Brook. 12 links wide, Course E.
56. 98	A W. Oak 20 in. diam.
80. 00	Set Post Corner of Sec. 15. 16. 21. & 22. T. 3. S. R. 3. W. where a B. Oak 12 in. diam. bears N. 11. W. 35. links. A B. Oak 13. in. diam. bears N. 11. E. 5. links. Moderate ridges. good W. Oak land.
North	Between Sec. 15. & 16. T. 3. S. R. 3. W.
8. 96	A W. Oak 22 in. diam.
29. 22	A W. Oak 17 in. diam.
40. 00	Put Quarter Sec. Post where a Gum, 9 in. diam. bears N. 10. W. 45 links. A B. Oak 16 in. diam. bears S. 16. W. 39 links
59. 20	A Run 4. links wide, Course E.
80. 00	Set Post Corner of Sec. 9. 10. 15. 16. T. 3. S. R. 3. W. where a Chestnut Oak 14 in. diam. bears S. 80. E. 25. links. A Chestnut Oak 16 in. diam. bears N. 73. W. 23. links. Middleing soil of hill land. — Timber, Oak, Hickory, & Logwood Nov. 15 th . 1804. quit for the day.
	Corrected the line between Sec. 22. & 15. T. 3. S. R. 3. W.

T. N^o 3. S. R. N^o 3. W 2nd Mer.

Put Quarter Sec. Post. where a W. Oak 17 in^d diam^r bears
N. 3. W. 12 links. A W. Oak 22 in^d diam^r bears S. 35. E. 20 links

West Between Sec^s 16. & 21. T. N^o 3. S. R. N^o 3. W.
79. 88 Intersected N. & S. line 27 links S. of Post Corner of Sec^s
16. 17. 20. 21. T. 3. S. R. 3. W. Steep broken hills.
Thin poor soil - Timber Oak, Hickory, &c.

North Between Sec^s 16. & 17. T. 3. S. R. 3. W.
39. 59 A W. Oak 16 in^d diam^r.
40. 00 Put Quarter Sec. post where a W. Oak 16 in^d diam^r bears
S. 39 links. A Sugar tree 16 in^d diam^r bears S. 27. E. 7 links.
Soil & Timber as before.
52. 24 A W. Oak 24 in^d diam^r.
64. 66 A Birch 14 in^d diam^r.
67. 25 A Brook 12 links wide; course W.
80. 00 Put Post Corner of Sec^s 8. 9. 16. 17. T. 3. S. R. 3. W.
where a W. Oak 16 in^d diam^r bears N. 35. E. 29 links A W.
Oak 32 in^d diam^r bears West 28 links Good soil of
upland - Timber, Oak, Poplar, Birch & Logwood.

West Between Sec^s 17. & 20. T. 3. S. R. 3. W.
25. 00 Poor hill land. Small Oak Timber.
37. 00 Good hill land to Bottom.
48. 00 A creek 60 links wide; course S. rich Bottom.
79. 97 Intersected N. & S. line 22 links S. of Post.
Good hill land - Timber, Oak, Poplar, & Logwood.

Corrected the line between Sec^s 16. & 21. T. 3. S. R. 3. W.
Set up Sec. post where a W. Oak 13 in^d diam^r bears N. 81. W. 14
links & a W. Oak 13 in^d diam^r bears S. 30. E. 30 links.

Corrected the line between Sec^s 17. & 20. T. 3. S. R. 3. W.
Put Quarter Sec. Post where a Hickory 14 in^d diam^r bears N.
69. W. 4 links A Birch 12 in^d diam^r bears S. 34. E. 5 links

T. 1st 3. S. R. 1st 3. W. 2nd. Mer.

North	Between Sec? 17. & 18. T. 3. S. R. 1 st 3. W.
17. 10	A B. Oak 30 in? diam?
22. 51	A Brook 25 links wide; Course E.
24. 73	A W. Oak 12 in? diam?
40. 00	Set Quarter Sec. post where a W. Oak 30 in? diam? bears S. 77. W. 26. links & a Poplar 4 in? diam? bears N. 68. E. 16. links
75. 23	A W. Oak 16 in? diam?
80. 00	Put Post Corner of Sec? 7. 8. 17. 18. T. 3. S. R. 3. W. where a Hickory 8 in? diam? bears N. 61. W. 10. links. A Hickory 10 in? diam? bears S. 31. E. 31. links. & Midling soil of hill land Timber. Oak-Hickory-Logwood.
West	Between Sec? 7. & 18. T. 3. S. R. 3. W.
33. 50	A Brook 8 links wide; Course S. 20. W.
40. 00	Put Quarter Sec. post where a Jack Oak 10 in? diam? bears S. 12. W. 2. links & a W. Oak 12 in? bears N. 55. E. 23. links
45. 00	A Brook 7. links wide; Course S
75. 00	Good W. Oak land lies well for farming.
77. 75	A Run 4. links wide; Course S.
79. 00	Intersected Range line 26 links N of post in 4 th Range. Set Post where a W. Oak 18 in? diam? bears S. 1. E. 22. links A B. Oak 22 in? diam? bears N. 27. W. 31. links. Steep hills midling soil. Oak timber.
North	Between Sec? 7. & 8. T. 3. S. R. 1 st 3. W.
30. 56	A B. Oak 22 in? diam?
40. 00	Put Quarter Sec. post where a Chuput Oak. 13 in? diam? bears S. 10. links & a B. Oak. 14 in? diam? bears N. 11. W. 37. links
49. 49	A W. Oak 14 in? diam?
61. 40	A Hickory 10 in? diam?
80. 00	Put Post Corner of Sec? 5. 6. 7. 8. T. 3. S. R. 3. W. where a Poplar 24 in? diam? bears S. 35. E. 57. links. & a Poplar 20 in? diam? bears N. 47. W. 16. links. Very rough Steep poor hills. Timber-Oak-Hickory- &c.
East	A Random line between Sec? 5. & 17. T. 3. S. R. 3. W.

T. N. 3. G. R. N. 3. M. 2nd Mer.

- 51 00 Soil & timber as before.
 55 00 A Creek 40 links wide; course S.
 61 00 Rich Bottom Sugarbush, Timber &c.
 80 00 Hit Post Corner of Sec? 8. 9. 16. 17.
 Thin soil of hill land. W. Oak timber

- North Between Sec? 8 & 9. T. 3. G. R. 3. M.
 5. 07 A W. Oak 19 in? diam?
 16. 48 A W. Oak 20 in? diam?
 29. 00 Creek 40 links wide; course S. 30. W. middling hill land.
 40. 00 Put Quarter Sec. post where a Mulberry 9 in? diam? bears N. 4.
 65. W. 98 links A W. Oak 20 in? diam? bears S. 16. E. 25 links
 45 00 Good Bottom land.
 50 30 A Gum 17 in? diam?
 80. 00 Set Post Corner of Sec? 4. 5. 8. 9. T. 3. G. R. 3. M.
 where a Poplar 23 in? diam? bears N. 16. W. 41 links. A
 Poplar 12 in? diam? bears S. 3. links. Good soil of hill
 land. Oak, Poplar. Gum. & Dogwood, Timber.

- East A Boundary line between Sec? 9. & 16. T. 3. G. R. 3. M.
 79. 54 Intersected at S. & G. line 16 links S. of Post Corner of Sec? 9. 16
 15. 16. T. 3. G. R. 3. M. This mile per hill land small Oak timber

Corrected the line between Sec? 9. & 16. where a Dogwood 8 in?
 diam? bears N. 80. E. 42 links. & A Dogwood 7 in? diam?
 bears N. 4. links

Corrected the line between Sec? 8 & 17. T. 3. G. R. 3. M.
 Put half Sec. post where a Dogwood 7 in? diam? bears N. 31. E.
 33. links. A W. Oak 14 in? diam? bears S. 12. W. 5 links. Nov. 16th 1864.

- East Between Sec? 16. & 15. T. N. 3. G. R. N. 3. M.
 80. 00 Set Temporary Post. Good W. Oak land. middling Soil

- North Between Sec? 14. & 15. T. 3. G. R. 3. M.
 15. 85 A Gum 10 in? diam?

T. 1st S. R. 3. W. 2nd Mer

39. 30	A Brook 10 links wide; Course S. 70. E.
40. 00	Put. Quarter Sec. Post. where a W. Oak 16 in. diam. bears N. 24. E. 16. links. & A Birch 10 in. diam. S. 12. W. 38. links. - Meeting Soil of hill land. - Timber, Oak, Birch, &c.
48. 43	A W. Oak 17. in. diam.
54. 38	A W. Oak 12. in. diam.
50. 00	Set 50. links West of Temporary Post. Set Post. Corner of Sec. 10. 11. 14. 15. T. 3. S. R. 3. W. where a W. Oak 16 in. diam. bears N. 10. E. 33. links. & W. Oak 22 in. diam. bears S. 37. W. 31. links. Poor hilly land. - much brush & many trees.
North	Between Sec. 10. & 11. T. 3. S. R. 3. W.
13. 50	A Brook 10 links wide; Course S. 70. E.
24. 00	A W. Oak 15 in. diam.
40. 00	Put. Quarter Sec. Post. where a Hickory 11 in. diam. bears N. 42 W. 30. links. & 15 in. diam. bears S. 6. W. 40. links
49. 47	A W. Oak 14 in. diam.
78. 50	A Brook 16 links wide Course S. 70. E.
80. 00	Set Post. Corner of Sec. 2. 3. 10. 11. T. 3. S. R. 3. W. where a Sugar tree 10 in. diam. bears S. 27. E. 21. links. W. Oak 16 in. diam. bears N. 52. W. 21. links. Good farming land lies well. Timber, Oak. Hickory, Sycamore, Gum &c.
East	Between Sec. 11. 14. T. 3. S. R. 3. W.
15. 00	A Brook 10 links wide; Course S. 20. E.
38. 00	Thin Soil of hill land. Oak timber.
57. 50	A Brook 16 links wide; Course. S. E.
70. 00	Good hill land. Timber, Sugar tree, Oak, &c.
77. 00	A Brook 140 links wide; Course. S.
79. 50	Intersected N. & S. line 7 links S. of Post. Good Bottom. Timber, Oak, Sugar tree. Birch. &c.
East	Between Sec. 12. & 13. T. 3. S. R. 3. W.
31. 00	Followed up a small run. Steep rocky hill on each side.
80. 05	Intersected Range line 10 links N. of Post. Corner of Sec. 12. & 13. T. 3. S. R. 3. W. Inequalities of hill land.

T. 1st 3. S. R. 1st 3. W. 2nd Mer.

Timber Oak. Hickory. Poplar Lignum &c.

Corrected the line between Sec^s 12 & 13 T. 3. S. R. 3. W.
Put half Sec. post where a Sugar tree 10 in² diam^r bears S. 51.
E. 23. links. A W. Oak 12 in² diam^r bears N. 53. W. 39 links.

Corrected the line between Sec^s 11 & 14. T. 3. S. R. 3. W.
Put 1/2 Sec. post where a Mulberry 11 in² diam^r bears S. 34.
E. 10. links. & 2nd 10 in² diam^r bears S. 63. W. 20 links.

Corrected the line between Sec^s 10 & 15. T. 3. S. R. 3. W.
Put half Sec. post where a Dogwood 7 in² diam^r bears N.
71. E. 5. links. & A Dogwood 7 in² diam^r bears S. 58. W. 9 links.

North Between Sec^s 11 & 12. T. 3. S. R. 3. W.
5. 00 A Creek 1.40. links wide; course S. 20. W.
13. 00 Same Creek; course S. E.
30. 00 Same Creek; course West.
40. 00 Put Quarter Sec. post where a Birch 14 in² diam^r bears
N. 14. W. 58. links & A Birch 16 in² diam^r bears S.
8. W. 18. links — Good Bottom land.
53. 13 A Birch 20. in² diam^r.
80. 00 Put Post Corner of Sec^s 1 & 2. 11 & 12. T. 3. S. R. 3. W.
where a Cherry 16 in² diam^r bears N. 13. W. 53 links.
& a W. Walnut 16 in² diam^r bears S. 17. W. 6. links.
Good hill land — Timber, Oak. Birch. &c.

East Between Sec^s 1 & 12. T. 3. S. R. 3. W.
10. 00 Down Steep hill to Bottom.
12. 00 A Creek 1.40. links wide; course S. W.
21. 50 A Brook 16. links wide; course S. W. Good Birch & Sugar Bottom
79. 95 Intersected Range line at Post-Corner of Sec^s 1 & 12. T. 3.
S. R. 3. W. Followed up last noted Brook. Rough land
midding Soil. Timber, Birch. &c.

Blazed the line between 1 & 2. Put half Sec. posts.

179/14

T. N^o 3. S. R. N^o 3. W. 2nd Mer.

where a Birch 17. in^d diam^r bears N. 50. W. 53. links.
 & A Sycamore 10. in^d diam^r bears S. 67. E. 27 links.

North Between Sec^s 1. & 2. T. 3. S. R. 3. W.
 25. 11 A W. Oak 11. in^d diam^r
 40. 00 Put Quarter Sec. post where a Birch 14. in^d diam^r
 bears N. 12. E. 6 links & Dogwood 7 in^d bears S. 13. W. 31. links.
 46. 00 A Brook 16. links wide; Course E.
 53. 75 A W. Oak 12 in^d diam^r
 79. 63 Intersected Town line 51. E. of Post Set in Survey of
 Town 2. T. 3. S. R. 3. W. Set Post Corner of Sec^s 1. & 2.
 T. 3. S. R. 3. W. where a W. Oak 14 in^d diam^r bears N. 15.
 W. 13 links & A W. Oak 9 in^d diam^r bears S. 35. E. 13 links.
 This mile very rough. Steep hills; inequalities of Soil.
 Timber Oak Birch. &c.

West Between Sec^s 2. & 11. T. 3. S. R. 3. W.
 79. 40 Intersected N. & S. line 4 links S. of Post This mile
 steep rough hills, middling soil; Timber Oak Birch. Dogwood &c.

Connected the line between Sec^s 2. & 11. T. 3. S. R. 3. W.
 Put half Sec. Post where a B. Oak 10. in^d diam^r bears S. 10
 W. 8 links, & A B. Oak 4 in^d diam^r bears N. 64. E. 40. links
 Nov. 17th. 18. 04.

North Between Sec^s 9. & 10. T. 3. S. R. 3. W.
 7. 54 A W. Oak, 12 in^d diam^r
 13. 50 A B. Oak 18, in^d diam^r
 41. 00 Put Quarter Sec. post where a B. Oak 16. in^d diam^r bears
 N. 77. E. 22 links & A W. Oak 14 in^d diam^r bears S. 31. W. 9 links.
 53. 39 A W. Oak 22 in^d diam^r
 50. 00 Put Post Corner of Sec^s 3. 4. 9. 10. T. 3. S. R. 3. W. where
 a Hickory 9 in^d diam^r bears N. 26. W. 35 links & A W.
 Oak 14 in^d diam^r bears S. 3. E. 13 links. High dividing
 land. Poor soil Timber, Oak, Hickory, &c.

North Between Sec? 3. & 4. T. 3. S. R. 3. W.
 7. 56 A W. Oak 14 in? diam?
 40. 66 Put Quarter Sec. post where a Gum 12. in? diam? bears S. 68. W. 22. links. A Poplar 46. in? diam? bears East. 31. links.
 53. 42 A W. Oak 16 in? diam?
 79. 20 Intersected Town line. Set Post Corner 3. 4. T. 3. S. R. 3. W. where a Gum 10 in? diam? bears S. 37. E. 17. links. & A W. Oak 13. in? diam? bears N. 76. W. 23. links
 Good soil — Oak, Dogwood, & Poplar land.

West Random between Sec? 9. & 4. T. 3. S. R. 3. W.
 60. 66 A Creek 30 links wide; Course S.
 79. 56 Intersected N. & S. line 20. links N. of Post. Corner to Sec? 4. 5. 8. 9. T. 3. S. R. 3. W. Sharp hills. midling soil. Timber — Oak, Birch, & Poplar.

North Between Sec? 4. & 5. T. 3. S. R. 3. W.
 24. 50 A W. Oak 12 in? diam?
 32. 68 A B. Oak 18. in? diam?
 40. 00 A Hickory 12. in? diam? for Quarter. Sec. post. where a Poplar 13. in? diam? bears N. 12. W. 36. links & A Poplar 14 in? diam? bears S. 44. W. 32. links. Midling Soil of hill land. Timber, Oak, Hickory, Dogwood, Poplar &c.
 78. 90 Intersected Town line. Set Post Corner 4. 5. A Dogwood 9. in? diam? bears S. 71. W. 7. links. & A Gum 16 in? diam? bears S. 55. E. 12. links. Midling Soil of hill land. Oak &c.

West Between Sec? 5. & 8. T. 3. S. R. 3. W.
 79. 90 Intersected N. & S. line 30. links N. of Post. Corner to Sec? 5. 6. 7. 8. T. 3. S. R. 3. W. midling Soil of hill land. Timber, Oak, Hickory, Poplar &c.

West Between Sec? 6. & 7. T. 3. S. R. 3. W. 2nd Mer.
 46. 00 Put Quarter Sec post where a Dogwood 7. in? diam? bears N. 25. W. 10. links. & A Dogwood 7 in? diam? bears S. 49. W. 29.
 84. 00 A Run 4. links 4. links wide; Course W.

T. N^o 3. T. R. 1st 3. W. 2nd. Mer.

59. 63	Intersected Range line 3. 21. links N. of Post Corner in the 4 th Range. Set Post Corner of Tr ^s 6. & 7. T. 3. T. R. 3. W. where a W. Oak 16 in ^d diam ^r bears G. 20. W. 23. links & a Poplar 36 in ^d diam ^r bears N. 65. W. 3. links. Midling Soil of hill land Timber. Oak Hickory & Poplar.
North	Between Tr ^s 5 & 6. T. 3. T. R. 3. W.
11. 73	A Poplar 36. in ^d diam ^r
26. 14	A W. Oak 16 in ^d diam ^r
40. 01	Put Quarter Tr ^s post where a Hickory 10. in ^d diam ^r bears N. 73. W. 10. links. & a W. Oak 11. in ^d diam ^r N. 77. E. 10. links
46. 15	A W. Oak 16. in ^d diam ^r
54. 95	A W. Oak 14. in ^d diam ^r
77. 53	Intersected Town line, and Set Post Corner of Tr ^s 5 & 6. T. 3. T. R. 3. W. where a W. Oak 26. in ^d diam ^r bears N. 9. E. 33. links & a Poplar 26. in ^d diam ^r bears G. 61. E. 15. links. Soil & Timber as before.
	Set Post in N. Boundary of Tr ^s 6. T. 3. T. R. 3. W. where a W. Oak 11. in ^d diam ^r bears N. 41. E. 21. links. & a Dogwood 7. in ^d diam ^r bears T. 48. W. 28. links.
	Set half Tr ^s Post in N. Boundary of Tr ^s 5. T. 3. T. R. 3. W. where a W. Oak 13. in ^d diam ^r bears N. 15. E. 9. links. & a B. Oak 13 in ^d diam ^r bears G. 46. W. 3. links.
	Set half Tr ^s Post in N. Boundary of Tr ^s 4. T. 3. T. R. 3. W. where a B. Oak 4 in ^d diam ^r bears N. 2. E. 16. links & a B. Oak 24 in ^d diam ^r bears G. 26. W. 15. links.
73. 50 *	Corrected the line between Tr ^s 4 & 9. T. 3. T. R. 3. W. Put Quarter Tr ^s post where a W. Oak 14 in ^d diam ^r bears G. 71. E. 13. links. & a Birch 4 in ^d diam ^r bears G. 53. W. 11. links.
East	Between Tr ^s 3 & 10. T. 3. T. R. 3. W.
73. 50	A Brook 16. links wide, Course. S. E.

T. N. 3. S. R. N. 3. W. 2nd Mer.

79. 60 Intersected N. & E. line 10. links S. of Post Corner of Sec.
2. 3. 10. 11. T. 3. S. R. 3. W. High hill land.
midling soil — Timber — Oak Poplar. &c.

Corrected the line between Sec. 3. & 10. T. 3. S. R. 3. W.
Put Quarter Sec. post where a Dogwood 10 in. diam. bears N.
60. W. 41. links & a Dogwood 8 in. diam. bears S. 71. W. 32. links
Nov 18th. 18. 04. Quit for the day.

North Between Sec. 2. & 3. T. 3. S. R. 3. W.

10. 64 A Gum 12 in. diam.

23. 54 A Gum 16 in. diam.

40. 60 Put Quarter Sec. post where a W. Oak 16 in. diam. bears
N. 6. W. 25. links. & a W. Oak 10 in. diam. bears S. 11. E. 46. links.

54. 66 A W. Oak 17. in. diam.

62. 58 A B. Oak 18 in. diam.

79. 40 Intersected Town line. Set Post Corner of Sec. 2. & 3. T. 3.
S. R. 3. W. where a Dogwood 6 in. diam. bears N. 19. W. 25.
links & a Dogwood 6 in. diam. bears S. 18. W. 22. links.

Set Quarter Sec. post in N. Boundary of Sec. 3. T. 3. S.
R. 3. W. where a Birch 10 in. diam. bears N. 15. E. 25. links
& a W. Oak 14 in. diam. bears S. 67. W. 29. links.

Set half Sec. post in N. Boundary of Sec. 2. T. 3. S. R. 3.
W. where a W. Oak 10 in. diam. bears N. 65. W. 9. links
& a W. Oak 10 in. diam. bears S. 26. E. 34. links.

Nov 19th. 18. 04.

Surveyed by Levi. Barber.

* Corrected the line between Sec. 5. & 8. T. 3. S. R. 3. W.
Put quarter Sec. post where a B. Oak 10. in. diam. bears N.
33. W. 23. links & a 24. in. diam. bears S. 68. E. 33. links dist.

I certify that the foregoing transcript of the field notes of Township No 3 South of Range & No 3 West of the 2nd Meridian, has been compared with the Originals in this Office, and found to be correct;

Surveyor General's Office,
Cincinnati, Sept. 8. 1839

E. S. Cairnes
Sur Genl